



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/824,899

04/15/2004

Peter J. Unsworth

99RE059A /
ALBRP133USA

7582

7590

06/27/2006

EXAMINER

STARKS, WILBERT L

Susan M. Donahue
Rockwell Automation, 704-P, IP Department
1201 South 2nd Street
Milwaukee, WI 53204

ART UNIT

PAPER NUMBER

2129

DATE MAILED: 06/27/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**Supplemental
Notice of Allowability**

Application No.

10/824,899

Examiner

Wilbert L. Starks, Jr.

Applicant(s)

UNSWORTH ET AL.

Art Unit

2129

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the filing of 07/11/2005.
2. ☒ The allowed claim(s) is/are 1,2,5-10,13-26 and 31-41.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

DETAILED ACTION

Reasons For Allowance

1. Claims 1-2, 5-10, 13-26, and 31-41 are allowed.
2. The following is an Examiner's statement of reasons for allowance:

The cited prior art taken alone or in combination fails to teach the claimed invention of detecting pump cavitation/blockage and seal failure, as claimed by Applicant. Specifically, independent claims 1, 9, 19, 26, 32, 33, and 36 disclose the use of a "one-shot" neural network for this purpose.
3. The closest prior art of Ilott, P.W., et al teaches the use of neural networks for the development of a pumping system decision support tool, but fails to teach or suggest the use of a "one-shot" neural network. To the extent that this feature is not present in the prior art cited by Examiner, the present case is found to be allowable over the art of record.
4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Art Unit: 2129

5. This application is in condition for allowance except for the following formal matters:
6. Claims 29 and 30 are dependent upon cancelled claim 28. If these claims are either cancelled or made dependent upon one of the independent claims already allowed in this case above, the defect will be cured (aside from having to renumber the claims to reflect the changes.)
7. Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.
8. A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Wilbert L. Starks, Jr. whose telephone number is (571) 272-3691.


Alternatively, inquiries may be directed to the following:

S. P. E. David Vincent (571) 272-3080

Official (FAX) (571) 273-8300

WLS

24 June 2006


Wilbert L. Starks, Jr.
Primary Examiner
Art Unit - 2121